

ULTRA BASE SYSTEMS 5030 SEMINOLE BLVD. ST. PETERSBURG, FL 33708 PHONE: (866) 921-7888 FAX: (727) 391-9980

www.ultrabasesystems.com

## INSTALLATION PROFILE ON COMPACTED SUBGRADE WITH OPTIONAL GEO GRID

Infill Material (optional)
Optional 1/2"(1.3cm) crown x 1"(2.5cm) stainless steel turf staple, approx. every 1' (30.5cm)
Synthetic Turf
UltraBaseSystems Professional panel, 1 1/4" x 28" x 28" (3.2cm x 71.1cm x 71.1cm)

UltraBaseSystems Geosynthetic Stabilization Permeable or Impermeable Fabric
1"(2.5cm) to 2"(5.1cm) of Leveling Medium if needed, such as Crushed Stone Compacted Subgrade with Aggregate (with optional Soil Stabilizer)
UltraBaseSystems Geosynthetic Stabilization Permeable Fabric (with optional Geo Grid or Cellular Containment System)

## NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.

Existing Compacted Subgrade or Aggregate (with optional Soil Stabilizer)

- 2. DO NOT SCALE DRAWING.
- 3. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS OR PLANNING PURPOSES ONLY. THIS DRAWING MAY NOT BE USED FOR CONSTRUCTION.
- 4. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.



## ULTRA BASE SYSTEMS® PROFESSIONAL PANEL

INSTALLATION PROFILE ON COMPACTED SUBGRADE WITH OPTIONAL GEO GRID